





ISO 9001:2008



BROCHURE
HYDRUALIC PRESSES
WELD AID AUTOMATION



Vast range of Products manufactured.



❖ HYDRAULIC PRESSES AND MORE...

Weld Aid Automation, with its hydraulic presses featuring the unmistakable trademark, stand out against its background of its competitors in a key sector for the mechanical industry. Present on market since 1998 with its now historic iron-workers, Punching machines and trimming Bending machines, the company has since






2000 continued to make its contribution in terms of innovation, experience and advanced technology to the field of sheet metal working.

Weld Aid Automation has achieved excellent sales results over the year, becoming a leading figure in the industry, remaining ever faithful to the basic idea of its founder partners and pursuing the increase in technical knowledge within the company and nurturing technical development in hydraulics, electronics and automation.

**AMONGST OUR IDEAS
THERE IS DEFINITELY
THE
RIGHT SOLUTION FOR
YOU.**


X > RESEARCH AND DEVELOPMENT

In order for presses to truly become containers of infinite high-performance solutions, the company's "know-how" must be oriented and finalised towards the innovation of processes and products. Interpretation of the user's needs and the transformation of these into ever more appropriate solutions renders this particular task of the company more important and decisive than ever as far as the result is concerned.





MODEL	C-60 T	C-80 T	C-100 T	C-120 T
CAPACITY	60 TONS	80 TONS	100 TONS	120 TONS
DAYLIGHT	400	500	600	700
STROKE LENGTH	200	300	400	500
SHUT HEIGHT	200	200	300	400
BED SIZE	500 X 300 mm	500 X 750 mm	600 X 400 mm	600 X 400 mm
APPROCH SPEED	25 mm/sec	50 mm/sec	25 mm/sec	25 mm/sec
RETURN SPEED	40 mm/sec	48 mm/sec	40 mm/sec	40 mm/sec
ELECTRIC MOTOR	5 Hp	7.5 Hp	10 Hp	10 Hp
PUMP	Single stage gear pump	Dual stage gear and piston pump	Dual stage gear and piston pump	Dual stage gear and piston pump
OPERATION	PLC control button type	PLC control button type	PLC Control screen touch type	PLC Control screen touch type
RAMP MOVEMENT	200 mm	300mm	400mm	400mm
Cylinder	Double acting cylinder	Double acting cylinder	Double acting cylinder	Double acting cylinder



MODEL	2CD-100 T	2CD-120 T	2CD-150 T	2CD-200 T
CAPACITY	100TONS	120 TONS	150 TONS	200 TONS
DAYLIGHT	300	450	600	550
STROKE LENGTH	300	350	400	550
SHUT HEIGHT	200	200	250	400
BED SIZE	350 X 500 mm	400 X 300 mm	600 X900 mm	600 X 400 mm
APPROCH SPEED	25 mm/sec	25 mm/sec	15 mm/sec	25 mm/sec
RETURN SPEED	40 mm/sec	40 mm/sec	30 mm/sec	40 mm/sec
ELECTRIC MOTOR	5 Hp	7.5 Hp	10 Hp	10 Hp
PUMP	Single stage gear pump	Single stage gear pump	Dual stage gear and piston pump	Dual stage gear and piston pump
OPERATION	PLC control button type	PLC control button type	PLC Control screen touch type	PLC Control screen touch type
RAMP MOVEMENT	200 mm	300mm	400mm	400mm
Cylinder	Double acting cylinder & counter pressure cylinder	Double acting cylinder & counter pressure cylinder	Double acting cylinder & counter pressure cylinder	Double acting cylinder & counter pressure cylinder

Our Clients...

